

**Application No.: 10/666,732****Docket No.: 2038-297****ABSTRACT**

An elastically stretchable nonwoven fabric ~~comprises~~ includes elastically stretchable first fibers made of a first polymer and inelastically stretchable second fibers made of a second polymer. The second fibers are separably attached to the first fiber at attaching areas intermittently formed on the first fiber. Between the attaching areas neighboring to each other the second fibers are spaced apart from the first fiber and have lengths longer than that of the first fiber. One to sixteen of the second fibers are provided per each first fiber.